## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.







URE MAY 2

### UNITED STATES DEPARTMENT OF AGRICULTURE Bureau of Agricultural Economics

Released May 27, 1937

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

APRIL 1, 1937.

Stocks of loaf tobacco owned by dealers and manufacturers in the United States and Puerto Rico amounted to 2,276,038,000 pounds on April 1, 1937 compared with 2,422,696,000 pounds on April 1, 1936, and 2,209,842,000 pounds on January 1, 1937. Total stocks were 146,658,000 pounds lower than a year ago April 1 and 66,196,000 pounds higher than on January 1, 1937.

Stocks of flue-cured tobacco were reported as 872,416,000 pounds on April 1, 1937, about one hundred million pounds lower than the January 1 stocks and about a million and a half pounds lower than a year ago. The stocks of Type 11 on April 1, 1937 were reported as 387,946,000 pounds; Type 12 as 275,717,000 pounds; Type 13 as 143,256,000 pounds; Type 14 as 65,497,000 pounds.

Stocks of fire-cured tobacco of all types were reported as 215,798,000 pounds on April 1, 1937, compared with 242,178,000 pounds on April 1, 1936, a decrease of 26,380,000 pounds. Virginia Fire-cured, Type 21, stocks were reported as 30,247,000 pounds on April 1, 1937; Type 22 as 136,468,000 pounds; Type 23 as 45,783,000 pounds; and Type 24 as 3,300,000 pounds.

Burley stocks were over 96 million pounds lower on April 1, 1937 than they were a year ago April 1. The April 1, 1937 report shows 634,831,000 pounds. Maryland tobacco, Type 32, stocks were reported az 31,571,000 pounds on April 1, 1937.

One Sucker stocks on April 1, 1937 were 27,818,000 pounds; Green River stocks were 26,879,000 pounds; Virginia Sun-cured, 2,975,000 pounds; Eastern Ohio, 462,000 pounds; Perique, 160,000 pounds; Other Miscellaneous Domestic, 544,000 pounds and Foreign-grown cigarette tobacco (Turkish and other) 78,105,000 pounds.

#### APRIL 1 CIGAR LEAF TOBACCO STOCKS

Stocks of American-grown cigar-filler types amounted to 205,721,000 pounds on April 1, 1937, an increase of 5,812,000 pounds over the stocks of April 1, 1936. Compared with a year ago Types 41, 43 and 44 are higher; and Types 42, 45 and 46 are lower. Type 41, Pennsylvania Seedleaf, stocks were 111,014,000 pounds on April 1, 1937; Type 42, Gebhardt, 17,767,000 pounds; Type 43, Zimmer, 25,513,000 pounds; Type 44, Dutch, 12,422,000 pounds; Type 45, Georgia and Florida Sun-grown, 1,554,000 pounds; and Type 46, Puerto Rican, 37,451,000 pounds. The detailed report by groups of grades shows 149,019,000 pounds or about 72 percent of the total filler type stocks in the 0 group as strictly filler grades; 46,567,000 pounds, or about 23 percent in the X group as stemming grades; 6,091,000 pounds or about 3 percent in the Y group as Ground Leaves; and the balance in the R, S and N groups.

A-11

1-3

The cigar-hinder type stocks, some of which are used for wrappers, were 6,364,000 pounds lower on April 1, 1937 than they were April 1 a year ago. Total binder type stocks were reported as 156,686,000 pounds on April 1, 1937. Type 51, Connecticut Breadleaf stocks were reported as 36,641,000 pounds; Type 52, Connecticut Havana Seed, 27,949,000 pounds; Type 53, New York and Pennsylvania Havana Seed, 2,458,000 pounds; Type 54, Scuthern Wisconsin, 56,909,000 pounds; and Type 55, Northern Wisconsin, 32,729,000 pounds. The detailed report shows that of the total binder type stocks reported 5,346,000 pounds are of wrapper quality, 67,185,000 pounds are binders, 5,266,000 pounds are fillers, 78,304,000 pounds are X group or stemming grade tobacco, and the balance in the Y, S, and N groups.

Shade-grown wrapper type stocks were reported on April 1, 1937, as 11,733,000 pounds. Connecticut Shade stocks were 8,636,000 pounds, and ... Georgia and Florida Shade stocks were 3,097,000 pounds. Of the total shade tobacco stocks reported 9,951,000 pounds are shown in the A group as being of acqual wrapper quality.

The freign-grown cigar-leaf tobacco stocks in the United States on April 1, 1937, consisted of 7,491,000 pounds of Cuba (Havana) tobacco, 1,393,000 pounds of Sumatra and Java, and 827,000 pounds of Philippine Island (Manila). The detailed report shows these stocks subdivided into wrappers, fillers and scrap.

The figures quoted for type totals are the sums of unstemmed and stemmed leaf as reported. For information on American-grawn types shown on a farm-sales-weight basis with stemmed leaf converted to unstemmed equivalent, see page 12 of this report.

#### EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 42, 43 and 44: GROUPS OF TYPES 11, 12, 13 and 14: C-Fillers, locally known as Wrappers A-Wrappers B-Heavy Leaf, Cutting Leaf X-Stemming and crops unsuitable for and Fillers sorting Y-Farm Fillers or Ground Leaves C-Thin Leaf or Cutters X-Lugs and Ground Leaves S-Scrap N-Nondescript S-Scrap N-Nondescript GROUPS OF TYPE 45: C-Fillers GROUPS OF TYPES 21, 22, 23 and 24: X-Stemming and crops unsuitable for A-Wrappers sorting B-Heavy Leaf Y-Ground Leaves C-Thin Leaf S-Scrap X-Lugs N-Nondescript S-Scrap N-Nondescript GROUPS OF TYPE 46: GROUPS OF TYPE 31: C-Fillers (Tripas) X-Resagos, Boliches, and crops A-Wrappers B-Leaf or Fillers and Tips unsuitable for sorting Y-Ground Leaves (Pie) C-Lugs, or Cutters X-Trash, Flyings and Spods S-Scrap (Picadura) N-Nondescript N-Nondescript GROUPS OF TYPES 51, 52 and 53: GROUPS OF TYPE 32: A-Wrappers B-Heavy Leaf, locally known as B-Binders, Seconds, and Brokes Dull Crop C-Fillers and Short Darks C-Thin Leaf, locally known as X-Stemming and crops unsuitable for Bright Crop sorting X-Seconds and Ground Leaves Y-Sand-Leaf Fillers or Ground Leaves S-Scrap S-Scrap N-Nondescript N-Nondescript GROUPS OF TYPES 35, 36 and 37: GROUPS OF TYPES 54 and 55: A-Wrappers B-Binders C-Fillers, locally known as Tips or B-Heavy Leaf C-Thin Leaf , B's X-Lugs X-Stemming and crops unsuitable for S-Scrap sorting N-Nondescript Y-Sand-Leaf Fillers or Bottom Leaves S-Scrap FROUPS OF TYPE 41: N-Nondescript B-Binders or Tops GROUPS OF TYPES 61 and 62: C-Fillers, locally known as Wrappers or B's A-Wrappers X-Stemming and crops unsuitable B-Stout Wrappers and Binders for sorting C-Fillers, or Tips Y-Farm Fillers or Ground Leaves X-Filler Brokes S-Scrap S-Scrap N-Nondescript N-Nondescript GROUPS OF TYPES 81, 82 and 83: A-Wrappers C-Fillers

S-Scrap

## TOBACCO STOCKS BY GROUPS OF GRADES APRIL 1, 1937.

#### U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA

	:		:		:	April 1	:	January 1
Group	:	Unstemmed		Stemmed	: (	Group Totals	: (	Froup Totals
	:	1000 lbs.	•	1000 lbs.	:	1000 lhs.	•	1000 lbs.
A	:	6,941			:	6,941	•	7,262
B	:	55,632	:	1,590	;	57,222	:	63,600*
C	:	104,736	:	12,140	:	116,876	:	123,883*
X	:	171,751	:	21,912	:	193,663	:	211,191
S		12,196	:	232	:	12,428	:	12,261
N	:	816	:		:	816		842
Total		352,072		35,874	:	387,946	:	419,039*

#### U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED

A	:	156	;	_	:	156	:	167
B	:	36,660	:	3,094	:	39,754	:	48,100*
C	:	85,045	:	16,771		101,816		115,764
X	:	98,306	:	18,724	:	117,030	:	133,178
S	:	15,759	:	257	:	16,016	:	15,988
N	:	901	:	44	:	945	:	1,336
Total		236,827		38,890	:	275,717		314,533*

## U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N. C.)

A		819		_	:	819	:	938
B	:	18,124	*	1,608	:	19,732	:	24,190
C		35,744	:	3,421	:	40,165	:	49,588*
X	9	67,556	;	9,701		77,257	:	84,884
S	:	5,066	:	62	•	5,128		6,193*
$\overline{N}$		155	:		<b>b</b>	155	*	128
Total	:	128,464	:	14,792	:	143,256	:	165,921*

#### U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED

A	0	89	:	_	:	89	:	87
B	:	6,193	:	1,919	:	8,112	:	9,294
C	:	3,835	:	23,023	*	26,858	*	31,401
X	:	7,875	:	20,882	:	28,757	:	30,875
S	:	1,336	:	88	:	1,424	:	1,246
N	•	234	:	23	:	257	:	524
Total		19,562	:	45,935		65,497		73,427

(Figures rounded to nearest thousand pounds)

\* Revisions in January 1 report.

	:		;		: April 1	: January 1
Group	:	Unstemmed	:	Stemmed	:Group Totals	:Group Totals
	. :	1000 lbs.	:	1000 lbs.	: 1000 lbs.	: 1000 lbs.
A	:	1,361	:		: 1,361	: 818
B .	:	7,974	:	357	: 8,331	: 6,809
C	:	3,080	:	7	: 3,087	: 2,216
X	:	15,987	;	3:33	: 16,320	: 14,736
S	:	1,144	:		: 1,144	: 1,050
N	:	. 1	:	***	: 4	: 18
Total	:	29,550	;	697	: 30,247	25,647

## U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C. H. & S.)

A	;	1,496	:	27	:	1,523	;	854*
B	;	86,339	:	115	2	86,454	:	71,726*
C	:	17,512	9	18	•	17,530	:	13,950*
X	:	28,972	:	17	:	28,989	:	25,985*
S	:	900	:	8	:	908	:	881*
N	:	1,064		-	:	1,064	:	.846*
Total	1'	136,283	1	185	; ;	136,468	:	114,242*

## U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M. & P.)

A	:	68	:	2	:	70	;	86
B .	ţ	25,517	:	59	:	25,576	:	21,507
C	:	10,897	:	1	:	10,898	;	6,106
Χ.	:	8,986	:	<b>-</b> .	:	8,986	*	5,667
S	:	197	:	7+	:	201	;	342
N	:	52	:	, was	• `	52	:	3
Total	•	45,7:7	:	66		45,783	:	33,711

#### U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED

A	:	the same of the sa	:		:		:	12
В	:	1,614	;	.237	:	1,851	:	1,439
С	<b>.</b>	846	*		•	846		831
X		525	:	12	•	537	:	517
S		63	*	-	•	63	:	74
N		3	:			3	:	****
Total		3,051		249		3,300	:	2,873

<sup>\*</sup> Revisions in January 1 report.

	;		:		:	April 1	:	January 1
froup	:	Unstemmed	:	Stemmed	:Gr	oup Totals	: G	roup Totals
	:	1000 lbs.	:	1000 lbs.	•	1000 lbs.	:	1000 lbs.
A		1,389	:	-ten	:	1,389	:	1,338
B	•	206,416		34,129	:	240,545	:	229,914*
C	:	224,063	:	20,845	:	244,908	:	227,162*
X	:	123,782	:	12,743		136,525	:	124,711*
S	:	9,257	:	1,937	:	11,194	:	10,277*
N	:	270		_	3	270		208
otal	:	565,177	:	69,654		634,831		593,610*

#### U. S. TYPE 32.-SOUTHERN MARYLAND

B		6,517	:	74	:	6,521		4,159
C	:	18,223	•	722	•	7 718,945	•	25,880
X	:	5,918	<b>6</b>	39	•	5,957	:	6,327
S	:	66	:	5,4	:	90	:	1,040
N		58		_	:	58	0	30
Total	•	30,782	:	789	9	31,571	:	37,436

#### U. S. TYPE 35.-ONE SUCKER.

A	* '	1,198	:	_	:	1,198	: .	921
B	* *	13,082	:	260	:	: 13,342	: •	11,320
C		5,093	: .	-	•	: 5,093	•	4,445
X	:	6,708	•	682	:	7,390	•	6,445
S		460	:	_		460	•	752
N	:	335		_	:	335	:	56
Total	•	26,876	:	942	:	27,818	:	23,939

#### U. S. TYPE 36.-GREEN RIVER

A	:	21	:	_	:	. 21	• .	55
В	: ,	10,433	:	178		10,611	: :	9,736*
C		2,320	:	7	*	2,327	• .	2,317*
X	: ,	12,508	:	364	*	. 12,872	• ,	11,595*
S	*	403	•	3	•	406	:	425
N		642		<b></b>	:	642	•	791
Total	•	26,327	:	552	:	26,879	:	24,919*

#### U. S. TYPE 37.-VIRGINIA SUN-CURED

				4						
A	•	103	:		-	:	:	103	:	36
В	: :	656	0		50	:		706	•	572
С		492	:		5	:	:	497		275
X	:	611	:	:	938		:	1,549	: :	1,150
S		120	:			:		120	0 .	121
Total	•	1,982	:		993	b		2,975	•	2,154

<sup>\*</sup> Revisions in January 1 report.

<sup>\*\*</sup> See Supplementary Burley report on page 11.

					Annill		Towns 777
C	•	TT	Stemmed .	• (	April l Group Totals		January 1
Group	•	Unstemmed 1000 lbs.	: 1000 lbs.	. i \	1000 lbs.		1000 lbs.
В	<u>i</u>	774	1000 105	0	779	•	947
C	•	79,063	1,724		80,787	0	56,733
X	•			٠	24,339	0	20,476
Ϋ́	•	22,792	1,041	۰	4,426	•	697
S	•	. 70	604	•	683	9	746*
Total	:	107,134	3,880	·	111,014	:	79,599*
U.S.	TYPE 4		, MIAMI VALLE	ĽΥ			·
C	:	12,537		:	13,329	:	13,384
X	:	3,769	384	•	4,153	•	3,388
Y	:	237	- 70	:	237	•	190
S		16	32	0	48		84
N	<u>:</u>	16 550	7.00%	<u>:</u>	77767		17 0)17
Total	•	16.559	1,208	<u> </u>	17,767	-	17,047
U.S.	TYPE 4	3ZIMMER, N	MIAMI VALLEY		<u> </u>		
C	:	. 12,246 :		:	12,858		16,729*
X	:	. 11,463 :	391		11,854	9	6,089
Y	:	731 :	1	0.0	732	:	129
S	:	5 :	64	•	69	0	121*
N	:	1		:		:	1
Total	:	24.445	1,068	:	25,513	:	23,069*
TT C	וון שכבעות	TIMOIT ME	ANGT TRATETES				
C C	1155 40	JDUTCH, MI			10.000		6.079
X	•	10,926:		i	10,990		6,038
Y	•	1,192 :	30	•	1,222		529
S	•	117:	70	i	117	•	31
N	•	53	38		91 2		107
Total	•	12,288	134	•	12,422	•	6,706
10041	•	12,200	1)4	<u>-</u>	12,422	•	0,700
U.S.	TYPE 45		ND FLORIDA S	UN			
C	:	619 :	855	9	1,474	0	1,333
X	:	45 <b>:</b>		0	. 45 2	•	19
Y		0	.5	:		•	***
S	0	33 :	-	•	33	•	1
N	:	:		0		:	7
Total		<u>697 :</u>	857	•	1,554	•	1,360
U.S.	TYPE 46	PUERTO RI	CAN SUN-GROW	N*	*		
C		7,264:	22,317	:	29,581	:	29,841*
X		2,321 :	2,633	0	4,954		4,401*
		329:	248		577	•	447*
Y S	:	79 :	2,096	•	2,175		2,114*
N	:	21 :	143		164		94*
Total	:	10,014:	27,437	•	37,451	:	36,897*

<sup>\*</sup> Revisions in January 1 report.

<sup>\*\*</sup> Includes stocks of leaf tobacco in Puerto Rico.

U. D.	TYPE 5	1CONNECT	I CU	r VALLEY B	ROA			
	:		•	•	:	April 1		anuary l
Group	:	Unstemmed	:	Stemmed	: G	roup Totals	:Gr	oup Totals
_		1000 lbs.	:	1000 lbs.	:	1000 lbs.	:	1000 lbs.
A		2,397		1	:	2,.398	:	1,524
В		28,002	, town	1,300	. :	29,302		23,220*
· · C-		1,398		·47		1,445		1,130
X		-	•~	786	•		•	
	•	2,519		100		3,305		3,006
Y	•	28	:		:	28 .	:	5.
S		7	•	153	:	160	:	312*
N		]	:	: 2		3	: .	12
Cotel		74.352	•	2,289	:	36,641	: .	29,203*
						•	•	
	TYPE 5	2CONNECT	I CU!		AVA			0 ( 07
A	•	2,941			:	2,944	:	2,681
B		19,969	•	79	•	20,048	•	18,032*
C		1,095		6		1,101	•	837
X		2,624		1,123		3,753	:	3,384
Υ .		. 4	:		:	4	:	39
S		7		: 95		97	• :	110
M		T		, , ,	•	: 2	,	7 1
· ·	::	26 - 711	-	. 7 77 =	•		•	DE 03)14
otal		26,674	<u>:</u>	1,315	<u>:</u>	: 27,949	: :	25,084*
. s.	TYPE 5	3NEW YORK	(A)	ND PENNSYL	V.AN	IA HAVANA SI	EED	
A	•	4	•		•	4	•	. 4.
B .		202				: 202	•	106
α.			•	- 6	•			
77	•	92	:	,	i	: 98	•	93
X	: .	2,101	•	•	:	2,101	:	1,414
Y		58	:	_	:	38	•	-
S		4	:	11	:	15	: -	33
otal		2,441	:	17		2,458		1,650
C	mvon c'	COLUMNIA	7 7977	COONCIN				
. S.	1156 5	4SOUTHERI 5,355	• AA 7	SCONSIN 4	•	5,359	• :	5,029
C				: 507	•	1 775		1,546
X	•	333		503	•	1,336		
	: .	47,390	:	2,784	•	50,174		45,558
Y	:	1	:	. <del>-</del> '	•	·		<b>→</b>
S	0 f	16	:	23		39	:	47
ctal	0	53,595	:	3,314	:	56,909	•	52,180
0		31013	* *17.7	CONCIN				
. S. 1	TYPE 5	0NORTHERN 12,148	• W 1	SCONSIN 126	•	12,274	• ;	9,235
				: 246				
Ç	:	1,040	:		•	1,286	•	1,327
X	:	18,222	:	749	:	: 18,971	•	15,853
		.56				: 26	• :	-
Y	•	20	•				•	
Y S		3	:	: 169	:	: 172	: :	204 26,619

<sup>\*</sup> Revisions in January 1 report.

	:		9	April 1	: Jar	uary 1
Group		Unstemmed	: Stemmed	Group Totals	:Grou	p Totals
		1000 lbs.	: 1000 lbs.	: 1000 lbs	10	000 lbs.
A	:	7,191	: 19	7,210	:	7,683*
В	:	938	89	1,027	· •	1,003
- C	::	182	15	197	<b>:</b>	195
X	•	-23	: -	. 23-	7	30
S		ĺ	: 178	: 179	•	217
N	:		: -	: -	•	6
<u> </u>	:	8,335	: 301	: 8,636	:	•9,134*
^		- •				

#### U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE

Â		2,739	:	2	:	2,741 :	3,332*
В	:	307	:		:	307 :	301
C	•	- 7	:	_	:	7:	· · · 16
X	:	.31	0	-	:	31:	67
S	: :	-	:	10	:	10:	·
N	:	1			:	1:	1
Total		3,085	:	12	:	3,097 :	3,725*

#### U. S. TYPE 71.-EASTERN OHIO

ž.		•			**
E					
O	1	•	1.60	•	1.7 ( )
No (ironns •	1157	Q •	Hh2	•	41h*
140 010000	"()) •	<i>)</i> •		•	110

#### U. S. TYPE 72.-PERIQUE

No Groups :	27 :	133 :	<u> 160 : </u>	235

#### U. S. TYPE 73.-OTHER MISCELLANEOUS DOMESTIC

No Groups:	92	452 :	544	677

#### U. S. TYPE 81.-CUBA (HAVANA)

A	:	177	:	217	•	394	:	181*
C	:	1,717	:	4,300	:	6,017	:	5,922*
S	:	16	:	1,064	:	1,080	•	1,076*
Total		1,910	:	5,581		7,491	:	7,179*

<sup>\*</sup> Revisions in January 1 report.

#### U. S. TYPE 82.-SUMATRA AND JAVA

	:		;		: Apri	11.		January 1
Group	;	Unstemmed		Stemmed	:Group	Totals	: G	Froup Totals
	•	1000 lbs.	:	1000 lbs.	: 1000	lbs.	10	1000 lbs.
. A	:	1,985	:	2	: 1	.,967	:	2,253
С.	:	. 3	•		0	3	•	67
S		<del>,</del>	: 1	3	0	3	:	
Total	:	1,988	:	5	: 1	. 993	3	2,328

#### U. S. TYPE 83.-PHILIPPINE ISLANDS (MANILA) --

C :	16	:	36	0	52	:	40
S	58	:	717	:	775	9	660
Total:	74	:	753	:	827		700

#### U. S. TYPE 84.-OTHER FOREIGN GROWN CIGAR LEAF

37 0		3.0	00	7 (
No Grouns:	9 •	14 :	28 :	10
210 - 20 000	•			
				The second secon

## U. S. TYPE 30.-FOREIGN-GROWN CIGARETTE TOBACCO (TURKISH AND OTHER)

No Groups :	78.104 :	1:	78.105	: 54.561*

#### GRAND TOTAL ALL TYPES

			•
Quarter	: Unstemmed	: Stemmed	: Grand Total
	: 1000 lbs.	: 1000 lbs.	: 1000 lbs.
April 1, 1937	: 2,016,345	: 259,693	: 2,276,038
January 1, 1937	: 1,955,685	: 254,157*	: 2,209,842*

(Figures rounded to nearest thousand pounds)

\* Revisions in January 1 report.

-Page ten-

# SUPPLEMENTARY REPORT ON BURLEY TOBACCO STOCKS BY GROUPS AND QUALITIES APRIL 1, 1937

Group	Quality	: :Unstemmed: :1000 lbs.:	: Stemmed :	Total	January 1 Total : 1000 lbs.
A - Wrapper	All Grades	1,389		1,389	1,338
B - Bright Leaf	Choice to Fine Medium or Good Fair to Common	: 47,831 :	6,163 :	53,994	25,060 48,225* 3,045*
Total Bright Le	eaf	70,310	11,664:	81,974	76,330*
(Including Green)	Choice to Fine Medium or Good Fair to Common	: 34,868 :	8,956:	43,824	17,398* 37,065* 9,548*
Total Red Leaf	· · · · · · · · · · · · · · · · · · ·	. 58,757	14,049	72,806	64,011*
B - Tips · · ·	Medium or Good Fair to Common	- '	5,896 2,520	47,014 38,751	52,942* 36,631*
Total Tips		77,349	8,416:	85,765	89,573*
Total B Group		206,416	34,129 :	240,545	229,914*
C - Lugs and Cutters	Choice to Fine Medium or Good Fair to Common	: 84,104 :	10,256:	95,065 94,360 55,483	95,137* 83,684* 48,341*
Total C Group		224,063	20,845:	244,908	227,162*
X - Granulators or Flyings	Choice to Fine Medium or Good Feir to Common	43,789 :	6,034:	61,600 49,823 25,102	57,736* 45,005* 21,970*
Total X Group		: 123,782 :	: 12,743 :	136,525	124,711*
S - Scrap	All Kinds	9,257 :	1,937 :	11,194	10,277*
N - Nondescript	Unsuitable for manufacture and damaged :	270 :	- : :	270 <b>:</b>	. 208
TOTAL ALL GROUPS		: 565,177 :	69,654	634,831 :	593,610*

<sup>\*</sup> Revisions in January 1 report.

<sup>-</sup>Page eleven-

TOBACCO STOCKS CONVERTED TO FARM-SALES WEIGHT, APRIL 1, 1937

	, D	Ste	temmed	Unstemmed	C.	Farm-sales-	: January 1 :farm-sales-
Type name	type number	Quantity reported	. Unstemmed	reported	unstemmed basis	weignt equivalent	weight equivalen
Flue-cured	11-14	1,000 1	699	1,000 15.	1,000 15.	1,000 15.	1,000 15
Virginia fire-cured Tenn. and Ky. fire-cured Ky. and Tenn. fire-cured Henderson Stemming	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	697 785 785 785 785	905 243 328	29,550 136,283 45,717 3,051	30,455 136,526 45,804 3,379	35,937 141,987 47,636 3,801	30,383 118,839* 35,089 3,237
Burley Southern Maryland	32	459,69	94,103	565,177	659,280	738,394	687,585*
One Sucker Green River Virginia sun-cured	7,02	942 552 993	1,346 726 1,307	26,876 26,327 1,982	28,222 27,053 3,289	30,762 30,570 3,717	26,316 28,290* 2,707
Pennsylvania Seedleaf Gebhardt Zimmer Dutch Ga. and Fla. sun-grown Puerto Rican sun-grown	44444	3,880 1,208 1,068 134 857 27,437	7,782 11,655 11,095 34,082	107,134 16,559 24,445 12,288 12,288	112,516 18,214 25,941 12,478 1,790 44,996	124,893 20,400 29,313 13,913 2,229 52,645	90,373* 19,868 26,795* 7,571 1,943 51,225*
Connecticut Broadleaf Connecticut Havana Seed N.Y. and Pa. Havana Seed Southern Wisconsin Northern Wisconsin		2,289 1,315 17 3,314 1,290	2,957 1,708 23 4,308 1,720	34,352 26,634 2,441 53,595 31,439	37,309 28,342 2,464 57,903 33,159	39,921 30,326 2,797 61,377 35,978	31,694* 27,296* 1,885 56,545 29,462
shade-grown	61	301	768	8,335	8,703	9,878	10,447*
* Revisions in January 1	report.						

In this table stocks are shown as reported, and converted to a farm-sales-weight basis, taking into the loss in stemming and the loss in handling, fermentation, and storage. (Figures rounded to nearest thousand nounds) account

Bare

Close Source Sou

-Page twelve-

ED.

A CONTRACTOR OF THE PARTY OF TH

#### TOBACCO STOCKS REPORT LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS, AFRIL 1, 1937 and comparisons with other quarters

(Figures are in thousands of pounds) April 1, : January 1, : U. S.: : January 1,: April 1, 1937 1/ 1937 1936 1936 type t Type name Total Total Total : number: Unstemmed : Stemmed Total 1,000 lb.: 1,000 lb. : 1,000 lb. : 1,000 lb. 1,000 lb. 1,000 lb. 352,072 387,946 35,874 419,039\* 394,805 418,157 Old Belt Flue-cured Va. and N. C. 38,890 314,533\* 328,383 12 236,827 275,717 280,581 Eastern N. C. Flue-cured South Carolina Flue-cured 128,464 14,792 143,256 165,921\* 145,295 158,213 (Including Southeastern N. C.) 19,562 736,925 73,427 45,935 65,497 59,369 Georgia and Florida Flue-cured 53,167 135,491 72,920 873,848 964,122 872,416 Total Flue-cured 30,247 25,647 697 35,089\*\*: 27,188\*\* Virginia Fire-cured 29,550 Tennessee and Kentucky Fire-cured : 136,283 185 66 136,468 114,242\* 154,429 22 119,790 (Eastern District C. H. and S.) : 45,783 48,060 45,717 33,711 35,848 Kentucky and Tennessee Fire-cured : 2 (Western District M. and P.) 5/19 4,600 Henderson Stemming 176,473\* 242,178\*\* Total Fire-cured 214,601 ,197 215,798 186,126\*\* 699,183 31 565,177 69,654 634,831 593,610\* 731,168 Burley . 37,436 31,365 37,647 789 31.571 Southern Maryland 32 30,782 762,533 70.443 666,402 631,046\* 736,830 595,959 Total Light Air-cured 23,939 24,919\* 942 27,818 34,265 30,481 26,876 One Sucker 35 34,648 36 26,327 552 26,879 29,377 Green River 2,975 993 2,154 3,480 2,060 1,982 Virginia Sun-cured 37 2,487 72,393 57,672 51,012\* 61,918 55,185 Total Dark Air-cured 3,880 79.599\* 17.047 79,904 41 107,134 111,014 100,959 Pennsylvania Seedleaf 20,901 42 16,559 24,445 1,208 Gebhardt (Ohio-Miami Valley) 17,767 23,822 43 1.068 25,513 23,069\* 24,988 23,613 Zimmer (Ohio-Miami Valley) 144 12,422 6,706 Dutch (Ohio-Miami Valley) 12,288 134 10,529 6,125 1,360 1,633 Georgia and Florida Sun-grown 45 1,554 857 1,783 \_697 Puerto Rican Sun-grown 46 36,897 40,899 10,014 27,437 37,451 35,400 171,137 34,584 164,678 199,909 170,647 Total Cigar-Filler Types 29,209 Connecticut Broadleaf 34,352 2,289 36,641 33,178 32,133 Connecticut Havana Seed 52 26.634 1,315 27,949 25,084\*: 27,889 28,457 1,650 2,458 53 54 2,207 5,441 1,910 N. Y. and Pa. Havana Seed 17 53,595 31,439 64,655 56,909 63,679 3,314 Southern Wisconsin 52,180 Northern Wisconsin 55 1,290 32,729 26,619 36,097 33,433 148,461 8,225 160,588 156,686 134,742\* 163,050 Total Cigar-Binder Types 61 9,134\* 8,537 9,418 Connecticut Shade-grown 8,335 301 8,636 2 3,224 3,725 62 3,085 3,508 Georgia and Florida Shade-12 3**,**097 Total Shade-grown 11,420 313 11,733 12,859\* : 11,761 12,926 416\* : 453 961 462 Eastern Ohio 71 852 2 Perique 72 27 133 160 235 250 327 2 : : 92 452 544 677 170 Other Miscellaneous Domestic 73 1,166 594 441 Total Miscellaneous Domestic 572 1,328\* : 1.272 7,491 7,179 9,258 5,581 Cuba (Havana) 1,910 9,983 81 8 : 1,993 Sumatra and Java 82 1,988 2,328 2,237 1,971 700 Philippine Islands (Manila) 83 74 753 827 585 1,093 84 47 Other Foreign-grown Cigar Leaf 28 16 3,981 6,358 10,339 10,223\* 12,852 Total Foreign-grown Cigar Leaf 12,322 Foreign-grown Cigarette Tobacco (Turkish and other) 78,104 78,105 54,561\* 65,873 Total all types 2,016,345 259,693 2,276,038 12,209,842\* 12,422,696\*\*12,372,793\*\*

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers; cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco, (b) manufacturers who in the first three quarters of 1936, according to the returns of the commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of The Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and the 74th Congress.

<sup>1/</sup> Subject to revision.
2/ Includes stocks on the Island.

<sup>\*</sup> Revisions in January 1 report.

<sup>\*\*</sup> Revisions in January 1 and April 1, 1936, figures.





